



Bacteria, Fungi and Viruses, Sizes and Significance (Sizes in Micrometers - MM)

Note: Most are above 0.1M in size. None are below 0.01 in size.

Organism	Microbial Group	Rod Length µm	Rod or Coccus Diameter pm	Source	Significance
Abadda ana bit		-			
Absidia corymbifera	Fungi	1.000	3.8	Environmental	Zygomycosis
Acetobacter Melenogenus	Bactene	1.0-2.0	0.4-0.8		Strong beer/vinegar becterium
Acinetobacter	Bacteria	1	1.3	Environmentel	Opportunistic Infections
Acremonium spp.	Fungi	1	2.5	Environmental	Extrinsic Allergic Aveons
Actinomyces israelii	Bacteria		1.0	Humans	Antinomycosis
Adenovirus	Virus		0.08	Humens	Colds
Alcaligenes Viscolactis	Bacteria	0.8-2.B	0.6-1.0		Causes ropiness in milk.
Alkaligenes	Bacteria	1	0.75	Humans	Opportunistic infections
Altemaria ettemate	Fungi	 	14.4	Envîronmentel	Mycotoxicosis
Arenavirus	Virus		0.18	Rodents	Hemorrhagic fever
Aspargillis spp.	Fungi		3.5	Environmental	Aspergiflosis, Volatila Organi Compound
Aureobasidium pullulans	Fungi	†	5	Environmental	Chromomycosis
Bacillus anthracis	Bacteria	3.0- 10.0	1.0-1.3	Environmental	Causes anthrax in mammals
		"	(1.1		
Bacillus	Bacteria	2.0-5.0	average) 0.8-1.0		Biological Indicator for steam
Stearotharmophilus Bacillus subtills	Becteria	2032	0700	-	sterilization
		2.0-3.0	0.7-0.8		Biological Indicator for ethylen oxida sterilization
Blastomyces darmatirtidis	Fungi		14	Environmental	Blestomycosis
Bordetella pertussis	Bacteria		0.25	Humans	Whooping cough
Botrytis cinere	Fungi		7	Environmentel	Extrinsic Allergic Aveons
Cardiobecterium	Bacteria		0.63	Humans	Opportunistic Infections
Chaetomium globosum	Fungi		5.5	Environmental	Chromomycosis, Volatile Organ
Chiamydla psittaci	Bacteria	1	0.3	Birds	Psittecosls
Chlamydia pneumoiae	Virus	1	0.3	Humans	Pneumonie
Cladosporium spp.	Fungi		9	Environmental	Chromblastomycosis
Clostridium botulinum (B)	Becteria	3.0-8.0	0.5-0.8	Comment	Produces exotin causes botulis
Clostridium Perinngens	Bacteria	4.0-8.0	1.0-1.5		Produces toxin causing food poisoning
Clostridlum tetanî	Bacteria	4.0-8.0	0.4-0.6		Produces exotoxin causing tetanus
Coccidioides immitis	Fungi	—	4	Environmental	Coccidiodomycosis
Coronavirus	Virus		0.11	Humans	Colds
Corynebacteria	Bacteria		1.0	Humens	Diphtheria
diphthena	B . 1. /	_			
Coxlella bumetli	Bacteria	-	0.5	Cettle, sheep	Q fever
Coxsackievirus Cryptococcus	Virus	1	0.027	Humans	Colds
neoformens	Fungt		5.5	Envîronmental	Cryptococcosis
Díplococcus Pneumoníae	Bacteria		0,5-1,25		Causes lobar pneumonie
Echovirus	Virus		0.028	Humens	Colds
Emericella nidulans	Fungi		3.3	Environmentel	Mycotoxicosis, Volatile Organ Compound
Epicoccum nigrum	Fungi	1	20	Environmental	Extrinsic Allergic Aveons
Erwina aroideae	Bacterie	2.0-3.0	0.5		Causes soft rot in vegetables
Escherichia Coli (E Coli)	Bacterie	1.0-3.0	0.5		Indicator of fecal contamination weter.
Eurotium spp.	Fungi		5.8	Environmental	Extrinsic Allergic Aveons
Exophiala jeansalmei	Fungi		2	Environmental	Chromomycosis
Francisella tularensis	Bacterie		0.2	Wild animals	Tularemie
Geomyces pannorum	Fungi	1	3	Environmental	Extrinsia Alleggia Aug
Haemophilus	Bacteria	0.5-2.0	0.2-0.3	CHAROHHIGHE	Extrinsic Allergic Aveons Causes influenza and acute
influenzae		⊢ —			respiratory infections
Haemophilus influenzaa	Bacteria		0,43	Humans	Meningitis, pneumonia
Haemophilus paraînfluenzae	Bacteria		1	Humans	Opportunistic infections
paramiluenzae, i					

Trichoderma spp.	Fungi	4,1	Environmental	Mycotoxicosis, Volatila Organic Compound
Ulociadium spp.	Fungi	15	Environmental	Extrinsic Allergic Aveons
Varicella-zoster	Virus	0.3	Humans	Chickenpox
Wallemia sabi	Fungi	3	Environmental	Extrinsic Allergic Aveons
Yersinia pastis	Virus	0.75	Humans	Pheumonic plagua

From Ion Life Library http://www.ionizers.org - +1(808) 573 7762

The statements enclosed herein have not been evaluated by the Food and Drug Administration. The products mentioned on this elle are not intended to diagnosited, cure, or prevent any disease, information and statements made are for education purposes and are not intended to replace the advice of your family doctor.